



AMERICA'S LAWN VAC LEADER



TABLE OF CONTENTS

Mounted

- ▶ Pro 12^{DFS} 04 - 05
- ▶ Pro 3B 06 - 07
- ▶ Pro 2B⁺ 08 - 09
- ▶ Pro 24^{DFS} 10 - 11

Trailer Vacs

- ▶ Convertible X20 & X30 12 - 13

Compact/Sub-Compact Tractors

- ▶ Pro 22^{DFS} 14 - 15
- ▶ PTO3B 16 - 17
- ▶ ES36 & ES50 18 - 19
- ▶ ES36^P & ES50^P 20 - 21
- ▶ Accessories 22

- ▶ Truck Loader 23

Accessories

- ▶ Z-Trimmer PRO 24
- ▶ Z-Trimmer RS 25
- ▶ PS5 Sprayer 26
- ▶ PTO Generator 27
- ▶ Wand Kit 28
- ▶ Parts 29

Brush Blazer

30 - 31


Originally founded in 1972,  has been a pioneer in the lawn care industry from our beginning. We are an independent, family-owned company driven to be the premier manufacturer of material collection systems and quality accessories for the outdoor power equipment industry. Our LawnVacs and other products are designed and built in America, to serve the needs of professional landscapers, institutions, and homeowners. We design our products to be long lasting, easy to use, and to work like nothing else. Our products make your job easier.

PECO's experienced, knowledgeable staff is available to help our customers get the most out of our products. We maintain an extensive inventory of parts, ensuring you many years of use for your LawnVac or other accessory. We stand behind our products with a one-year limited warranty.

We are dedicated to constantly improving our products and serving our customers year after year. PECO is proud to be America's LawnVac Leader.

Visit us at www.LawnVac.com to find information on our full product line, download manuals and parts breakdowns, locate a dealer, or ask a question 24/7.







PRO12^{DFS}



The **PRO12^{DFS}** (Dump From Seat) is a mounted aluminum box designed for one-handed dumping from the operator's seat. The Pro 12^{DFS} will increase your productivity, whatever your application. Featuring our patented mid-mounted blower, it has the power to handle today's high output commercial decks.

Additional Features

- ▶ Comes Complete with Mounting Hardware and Weight Kit
- ▶ Corrosion-Resistant Aluminum Container
- ▶ Framed in Heavy-Duty Steel, Polyethylene Door, and Steel Door Frame
- ▶ Easy to Install – No Tool Removal

Fits

- ▶ Bobcat
- ▶ Bush Hog
- ▶ Country Clipper
- ▶ Cub Cadet
- ▶ Dixie Chopper
- ▶ Exmark
- ▶ John Deere
- ▶ Kioti
- ▶ Kubota
- ▶ Scag
- ▶ Spartan
- ▶ Toro

Drive Options

- ▶ PTO-X Drive with Electric Engagement
- ▶ Briggs & Stratton 6.5hp Vanguard Gas Engine
- ▶ PTO-C Drive with Mechanical Engagement

** Drive Options Vary by Mower Model*

Specifications

- ▶ Warranty: 1 Year Commercial
- ▶ 12 Cubic Foot Capacity = 9.6 Bushels
- ▶ Boot Adds 12" – 15" to Deck Width
- ▶ Debris Weight ≈ 168 Pounds

	PTO-X B&S 6.5hp	PTO-C
Install Weight	325 - 340 Pounds	
Added Width	16"	
Added Length	24"	



4-Blade Steel Impeller and Cast Aluminum Blower Housing



Easy Dump From Seat



PTO-X Drive System with Self-Tensioning Belt and Electric Clutch Engagement



PRO3B



The **PRO3B** 3 bag collection system is designed with the professional landscape maintenance contractor in mind, making it a true commercial collection system. The tapered design of the bags makes them easy to remove and dump. The Pro 3B features a rugged design and our patented mid-mount blower system to provide the high-volume collection capacity that commercial ZTR mowers demand.

Additional Features

- ▶ Comes Complete with Mounting Hardware and Weight Kit
- ▶ Adjustable Grass Dispersion Evenly Fills All 3 Bags
- ▶ Lower Profile for Better Rear Visibility
- ▶ Framed in Heavy-Duty Steel
- ▶ Easy to Install — No Tool Removal
- ▶ All PTO Drives are Engaged From the Operator's Seat



4-Blade Steel Impeller & Cast Aluminum Blower Housing

Fits

- ▶ Bobcat
- ▶ Cub Cadet
- ▶ John Deere
- ▶ Scag
- ▶ Bush Hog
- ▶ Dixie Chopper
- ▶ Kioti
- ▶ Spartan
- ▶ Country Clipper
- ▶ Husqvarna
- ▶ Kubota
- ▶ Toro

Drive Options

- ▶ PTO-X Drive with Electric Engagement
- ▶ Briggs & Stratton 6.5hp Vanguard Gas Engine
- ▶ PTO-C Drive with Mechanical Engagement

** Drive Options Vary by Mower Model*



Easy No Tool Removal (Once Installed)

Specifications

- ▶ Warranty: 1 Year Commercial
- ▶ 15 Cubic Foot Capacity = 12 Bushels
- ▶ Boot Adds 12" – 15" to Deck Width
- ▶ Debris Weight ≈ 210 Pounds

	PTO-X	B&S 6.5hp	PTO-C
Install Weight	325 - 340 Pounds		
Added Width	16"		
Added Length	24"		



Engage PTO-X Drive From Operator's Seat



PRO2B+



The **PRO2B⁺** 2 bag collection system is the perfect solution for smaller ZTR mowers. The Pro 2B⁺ features our PTO-R drive that easily deals with the heavy grass and wet leaves that can plug a weaker collection system. It's powerful, lightweight, and affordable; making it perfect for the homeowner.

Additional Features

- ▶ Comes Complete with Mounting Hardware and Weight Kit
- ▶ Lower Profile for Better Rear Visibility
- ▶ Adjustable Grass Dispersion Evenly Fills Bags
- ▶ Framed in Heavy-Duty Steel
- ▶ Easy to Install – No Tool Removal
- ▶ 4-Blade Steel Impeller & Cast Aluminum Housing with PTO-C and PTO-X Drive
(Limited Availability)



3-Blade Steel Impeller & Cross Linked Polythylene Blower Housing on PTO-R

Fits

- ▶ Bad Boy
- ▶ Country Clipper
- ▶ Kioti
- ▶ Spartan
- ▶ Bobcat
- ▶ Cub Cadet
- ▶ Kubota
- ▶ Bush Hog
- ▶ Dixie Chopper
- ▶ Scag



Easy No Tool Removal
(Once Installed)

Drive Options

- ▶ PTO-R Drive with Mechanical Engagement
- ▶ PTO-C Drive with Mechanical Engagement
- ▶ PTO-X Drive with Electric Engagement

** Drive Options Vary by Mower Model*

Specifications

- ▶ Warranty: 1 Year Residential
- ▶ 9 Cubic Foot Capacity = 7.2 Bushels
- ▶ Boot Adds 12" – 15" to Deck Width
- ▶ Debris Weight ≈ 126 Pounds

	PTO-R	PTO-C	PTO-X
Install Weight	180 Pounds	215 Pounds	225 Pounds
Added Width	8"	16"	16"
Added Length	24"	24"	24"



Engage Drive From Operator's Seat



PRO24^{DFS}



Turn to the **PRO24^{DFS}** to match the function and utility of your out-front mower. The huge 24-cubic foot vacuum system is fully mounted, adding less than a foot to the mower's total tail swing. Its exclusive pivot frame assembly allows the entire collection box to pivot to the rear, allowing full service access on the tractor.

Additional Features

- ▶ Heavy-Duty 5-Blade Steel Impeller
- ▶ Heavy-Duty Cast Aluminum Blower Housing
- ▶ Cast Aluminum Boot Kit
- ▶ Framed in Heavy-Duty Steel
- ▶ Corrosion-Resistant Aluminum Container with a Steel Door Frame

Fits

John Deere Terrain Cut Series:

- ▶ 1550
- ▶ 1570
- ▶ 1575*
- ▶ 1580
- ▶ 1585*

** Cab Models Do Not Dump From Seat*

Drive Options

- ▶ Briggs & Stratton 14hp Vanguard Gas Engine

Specifications

- ▶ Warranty: 1 Year Commercial
- ▶ 24 Cubic Foot Capacity = 19.2 Bushels
- ▶ Boot Adds 12" – 15" to Deck Width
- ▶ Debris Weight ≈ 336 Pounds

	B&S 14hp
Install Weight	450 Pounds
Added Width	18"
Added Length	12"



Huge 24 Cubic Foot Box Dumps From Seat
(On Non-Cab Models)



Access Engine
Compartment to Mower



Fits Both Open Station & Cab Models

PECO[®] CONVERTIBLE X20 & X30



The PECO **CONVERTIBLE X20** & **X30** are rugged, lightweight vacuum systems that fit most lawn tractors or zero-turn mowers. Either is the perfect solution for residential or light commercial use. Their tapered beds allow easy dumping and both quickly convert to dump carts for year-round versatility. Both are built for years of reliable clean ups.

Additional Features

- ▶ Trail-o-Matic™ Hitch Keeps Hose in Place
- ▶ Universal Boot Will Fit Virtually Any Mower Deck
- ▶ Heavy-Duty, 18-Gauge Steel Utility Dump Trailer for Extreme Durability
- ▶ Tapered Bed Tilts 45° for Complete Debris Removal When Dumped

Drive Options

- X20 Convertible:**
- ▶ Briggs & Stratton 6.5hp Vanguard Gas Engine
- X30 Convertible:**
- ▶ Briggs & Stratton 6.5hp Vanguard Gas Engine

Specifications

- X20 Convertible:**
- ▶ Warranty: 1 Year Residential
 - ▶ 20 Cubic Foot Capacity = 16 Bushels
- X30 Convertible:**
- ▶ Warranty: 1 Year Residential
 - ▶ 30 Cubic Foot Capacity = 24 Bushels

	Dimensions	Trailer Weight	Load Weight
X20	78" x 39" x 50"	260 Pounds	280 Pounds
X30	84" x 42" x 56"	285 Pounds	420 Pounds

- ▶ Boot Adds 12" – 15" to Deck Width
- ▶ Tongue Weight: 100 Pounds



4-Blade Steel Impeller and Cast Aluminum Blower Housing



Converts to a Dump Cart in Minutes



Easy Dump

PRO22 DFS



The **PRO22^{DES}** is a unique solution for compact tractors. It is a fully-mounted universal collection system that is great for most compact tractors with a category-1 three-point hitch. The aluminum box and cast aluminum components are lightweight and durable. Its huge 22 cubic foot capacity fits decks up to 72". This is the perfect complement to your tractor.

Additional Features

- ▶ Heavy-Duty Cast Aluminum Blower Housing Framed in Heavy-Duty Steel
- ▶ Corrosion-Resistant Aluminum Container with a Steel Door Frame
- ▶ Jack Stand Included for Easy On and Off on PTO Unit
- ▶ 4-Blade Steel Impeller with PTO Drive
- ▶ Polyethylene Universal Boot Kit
- ▶ Battery Box Kit Needed for Electric Start with Engine Drive



5-Blade Impeller and Large Aluminum Blower Housing on Engine Drives

Fits

- ▶ Most Compact or Sub-Compact Tractors with Category 1 Three-Point Hitch



Fits Most Category 1 Three-Point Hitch Tractors

Drive Options

- ▶ All New in 2025 PTO Drive (540rpm)
- ▶ Briggs & Stratton 14hp Vanguard Electric Start Gas Engine

Specifications

- ▶ Warranty: 1 Year Commercial
- ▶ 22 Cubic Foot Capacity = 17.6 Bushels
- ▶ Boot Adds 12" – 15" to Deck Width
- ▶ Debris Weight ≈ 308 Pounds

	PTO	B&S 14hp
Install Weight	475 Pounds	300 Pounds
Added Width	65"	75"
Added Length	37.5"	40"



Huge 22 Cubic Foot Capacity Box Dumps From Seat

PECO **PTO3B**



The **PTO3B** 3 bag collection system is the solution to your compact tractor collection needs. The PECO PTO3B fits most compact or sub-compact tractors with a category-1 three-point hitch. Powered by the tractor's 540rpm PTO shaft, the PECO PTO 3B features a 4-blade steel impeller that moves material in even the toughest mowing conditions.

Additional Features

- ▶ Heavy-Duty Cast Aluminum Blower Housing
- ▶ Polyethylene Universal Boot Kit
- ▶ Framed in Heavy-Duty Steel
- ▶ Adjustable Grass Dispersion Evenly Fills All 3 Bags
- ▶ Easy to Install, With Jack Stand Included for Easy On and Off

Fits

- ▶ Most Compact or Sub-Compact Tractors with a Category-1 Three-Point Hitch

Drive Options

- ▶ All New in 2025 PTO Drive (540rpm)

Specifications

- ▶ Warranty: 1 Year Commercial
- ▶ 15 Cubic Foot Capacity = 12 Bushels
- ▶ Boot Adds 12" – 15" to Deck Width
- ▶ Debris Weight ≈ 210 Pounds

	PTO
Install Weight	350 Pounds
Added Width	66.5"
Added Length	27"



4-Blade Impeller and Cast Aluminum Blower Housing



Fits Most Category-1 Three-Point Hitch Tractors



Belt Driven PTO Drive

PECO 36 & 50 **ESTATE SERIES**



The **36 & 50 ESTATE SERIES** professional grade Trailer Vacs have the capacity to handle compact tractors with mower decks up to 72". Both models are equipped with the exclusive Trail-o-Matic™ hitch, which eliminates stretching or dragging the hose. The tapered aluminum box provides easy dumping with a quick lever pull.

Additional Features

- ▶ Heavy-Duty Cast Aluminum Blower Housing
- ▶ Trail-o-Matic Hitch™ Keeps Hose in Place
- ▶ Framed in Heavy-Duty Steel
- ▶ Tapered Aluminum Box Provides Easy Dumping with a Quick Pull of the Lever
- ▶ Corrosion-Resistant Aluminum Container

Drive Options

ES36 Estate Series:

- ▶ Briggs & Stratton 6.5hp Vanguard Gas Engine

ES50 Estate Series:

- ▶ Briggs & Stratton 14hp Vanguard Electric Start Gas Engine

Specifications

ES36 Estate Series:

- ▶ Warranty: 1 Year Commercial
- ▶ 36 Cubic Foot Capacity = 28.8 Bushels

ES50 Estate Series:

- ▶ Warranty: 1 Year Commercial
- ▶ 50 Cubic Foot Capacity = 40 Bushels

	Install Weight	Load Weight	Dimensions
ES36 B&S 6.5hp	550 Pounds	504 Pounds	92" x 46" x 60"
ES50 B&S 14hp	700 Pounds	700 Pounds	112" x 50" x 62"

- ▶ Boot Adds 12" – 15" to Deck Width
- ▶ Tongue Weight: 200 Pounds
- ▶ Tongue Height: 10"



5-Blade Impeller and Large Aluminum Blower Housing on ES50 (4-Blade on ES36)



Heavy-Duty Polyethylene Universal Boot



Easy Dump Action

PECO® 36^P & 50^P ESTATE SERIES



The time saving **36^P & 50^P ESTATE SERIES** pasture vacuum trailers easily lift dried manure, used bedding, and fiber left from grooming, then grind it to a fine mulch for garden use or easy disposal. The large aluminum containers will not rust and are balanced and tapered to empty easily with a single pull of a convenient lever. Both come complete with 18' of flex-hose and wand handle.

Additional Features

- ▶ Heavy-Duty Cast Aluminum Blower Housing
- ▶ Framed in Heavy-Duty Steel
- ▶ Tapered Aluminum Box Provides Easy Dumping with a Quick Pull of the Lever
- ▶ Corrosion-Resistant Aluminum Container
- ▶ Can be Towed Behind Most ATV/UTV's

Drive Options

- ES36^P Estate Series:**
- ▶ Briggs & Stratton 6.5hp Vanguard Gas Engine
- ES50^P Estate Series:**
- ▶ Briggs & Stratton 14hp Vanguard Electric Start Gas Engine

Specifications

- ES36^P Estate Series:**
- ▶ Warranty: 1 Year Commercial
 - ▶ 36 Cubic Foot Capacity = 28.8 Bushels
- ES50^P Estate Series:**
- ▶ Warranty: 1 Year Commercial
 - ▶ 50 Cubic Foot Capacity = 40 Bushels

	Install Weight	Load Weight	Dimensions
ES36 ^P B&S 6.5hp	575 Pounds	504 Pounds	92" x 46" x 60"
ES50 ^P B&S 14hp	725 Pounds	700 Pounds	112" x 50" x 62"

- ▶ Boot Adds 12" – 15" to Deck Width
- ▶ Tongue Weight: 200 Pounds
- ▶ Tongue Height: 10"
- ▶ To Connect to Your Mower's Discharge Chute, See Model 7936/7950



5-Blade Impeller and Large Aluminum Blower Housing on ES50^P (4-Blade on ES36^P)



18' Wand Kit Included



Optional Extra Length Tongue Extender




TRAILER ACCESSORIES

CONVERTIBLE X20 & X30




A1858
Wand Kit



A2478
Jack Stand Kit



A2276
Tow Bar



A2406
Hose Hanger for Wand Kit

36 & 50 ESTATE SERIES



A1858 Wand Kit - ES36 | A1861 Wand Kit - ES50



A2409
Hose Hanger - ES50




A2276
Tow Bar



A2200 - ES36 & ES36P
A2332 - ES50 & ES50P
Jack Stand with Foot



A2201 - ES36 & ES36P
A2333 - ES50 & ES50P
Jack Stand with Wheel



J0033
2" Trailer Coupler - ES50 & ES50P



TRUCK LOADER



With PECO power in a compact size, the Truck Loader turns your pickup truck into a powerful debris collection system. It mounts to a standard 2" trailer hitch and uses PECO's proven impeller and blower housing connected to 25' of tough flexible polyurethane hose with an oversized nozzle and ergonomic handle. You provide the container, PECO does the rest.

Model TL-14

Drive Options

- ▶ Briggs & Stratton 14hp Vanguard Electric Start Gas Engine

Features

- ▶ 25' of 8" Diameter Hose with Wand Kit
- ▶ 6' of 7" Diameter Upper Hose
- ▶ 7" Diameter Inlet Ring
- ▶ Fits Standard 2" Hitch
- ▶ Heavy-Duty Cast Aluminum Blower Housing
- ▶ Heavy-Duty 5-Blade Steel Impeller
- ▶ Does Not Include Truck Bed Container
- ▶ Battery Box Kit Included for Electric Start



Z-TRIMMER PRO



The Z-Trimmer PRO adds professional power and longer run times to the convenience of the trim-while-you-mow Z-Trimmer product line. Its powerful 84-volt motor can handle tough weeds and tall grass, while the rechargeable battery provides the extended run time professionals need.

Features

- ▶ 6000rpm 84v Motor with Rechargeable Battery
- ▶ Easily Folds for Transport & Locks into Place to Prevent Movement While Not in Use
- ▶ Debris Shield and Vine Guard
- ▶ Fixed Line Head Uses up to .135" Trimmer Line
- ▶ 140° Range of Head Movement for Trimming or Edging
- ▶ Mounts Directly to Most Decks by Drilling Four Holes
- ▶ 20" Reach From the Edge of the Mower Deck
- ▶ Recommended for Mowers with Decks 48" or Larger and Having at Least 20" of Clearance From Edge of Deck to Mower Frame
- ▶ Comes Bolt-On Ready to Install and with 48 Pieces of Replacement Trimmer Line
- ▶ 1 Year Commercial Warranty

Model ZT-5000

Requirements

- ▶ Performs Best on Relatively Flat Terrain
- ▶ Approximate Run Time: 2 Hours on Fully Charged Battery
- ▶ Requires a 6" x 4" Flat Surface on Deck to Mount



Z-TRIMMER RS



The Z-Trimmer RS (model ZT-3100) is our original residential string trimmer that is powered by the mower's battery. The Z-Trimmer RS easily mounts to virtually any fabricated mower deck. Obstacles are not a problem as the arm is spring-loaded to swing away from any obstruction. It's a great tool to speed up regular maintenance of your yard or fence lines.

Features

- ▶ Operating Range of 15-30 Amps
- ▶ Easily Folds for Transport & Locks into Place to Prevent Movement While Not in Use
- ▶ Vine Guard
- ▶ Fixed Line Head Uses up to .095" Trimmer Line
- ▶ Resettable Circuit Breaker
- ▶ 140° Range of Head Movement
- ▶ 4600rpm 12V DC Motor with Sealed End Cap
- ▶ Recommended for Mowers with Decks 48" or Larger & Having at Least 20" of Clearance From Edge of Deck to Mower Frame
- ▶ Comes Bolt-On Ready to Install and with 40 Pieces of Replacement Trimmer Line
- ▶ 1 Year Residential Warranty

Model ZT-3100

Requirements

- ▶ Mower Must Have a Minimum 15 Amp Charging System to Power the Z-Trimmer
- ▶ Designed for Use on Regularly Maintained Areas
- ▶ Recommended Run Time: Approximately 20 Minutes Per Hour of Mowing
- ▶ Requires a 6" x 4" Flat Surface on Deck to Mount



PS5 SPRAYER



No need for pumping or lugging with the PS5 Sprayer. It's completely self-contained and rolls easily over lawns and gardens. The spray wand is always right at hand with multiple spray patterns to fit the job. Spray a flat or fine mist adjustable to a 40' stream. A full charge on the battery can last for up to 6 hours, and the wide-mouthed illuminated container can hold up to five gallons. Sprayer folds for easy transport and storage.

Model 12008

Features

- ▶ Self-Contained 12V Electric Sprayer
- ▶ 14" Wheels
- ▶ Lightweight Aluminum Cart with Folding Handle for Easy Transport and Storage
- ▶ Electric 40 PSI Pump Runs up to 6 Hours Per Charge
- ▶ Viton Valves / Santoprene Diaphragm
- ▶ Heavy-Duty Gel Cell Rechargeable Battery
- ▶ Illuminated Wide Mouth 5-Gallon Container
- ▶ TeeJet Nozzle for Uniform Coverage Throughout the Flat Spray Pattern
- ▶ 29" Stainless Steel Spray Wand for Hard-to-Reach Places
- ▶ Commercial Shut-Off Valve with Lock-On and Lock-Off Features
- ▶ 10' Hose with a Quick-Release Hose Hanger



PTO GENERATOR



Use your tractor to provide the power you need, when you need it! Eliminate the extra costs of owning and maintaining a separate engine for your generator. PECO's PTO Generator is powered by your tractor's 540 rpm PTO. Automatic voltage regulation is standard on the 10kw and 16kw models. Fits any category-1 or 2 three-point hitch. Whenever and wherever you need power, hook up your tractor and plug in!

10kw Model PTOG-0010
16kw Model PTOG-0016
22kw Model PTOG-0022

Features

- ▶ Heavy-Duty Single Phase Generators, Brushless (Capacitor) Design for Maintenance Free Performance
- ▶ Aluminum and Steel Housing for Maximum Durability
- ▶ Drip-Proof Design
- ▶ 100% Copper Windings, Low Distortion Alternator for High Quality Power Output, Insulation Class H
- ▶ Lifetime Pre-Sealed Maintenance Free Bearings
- ▶ 4" Three Bar LED Meter Provides Accurate Display of Hertz, Volts, and Amps Output
- ▶ Individually Protected Circuits
- ▶ Magnetic Circuit Breaker with Individual Circuit Protection for Safety and Accurate Overload Protection
- ▶ Full Power Outlet
- ▶ Simultaneous 120V and 240V Output



WAND KIT



Convert any PECO mower vacuum into the ultimate clean up tool. Its 18' of flexible 6" hose and ergonomic handle allows you to get into hard-to-reach spots with ease. The wand kit is a great tool for anywhere your mower can't reach, such as planters, flower beds and ditches.

Model A1858 – For Small Blower Housings
(6" X 18' Hose)

Model A1861 – For Large Blower Housings
(6" X 18' Hose)

Model A2288 – High Capacity Wand Kit For Large Blower Housings
(8" x 25' Hose)

Features

- ▶ Lightweight and Easy to Maneuver
- ▶ Great for Cleaning Planting Beds and Difficult to Reach Areas
- ▶ Kit Includes a Wand Nozzle, Lightweight 18' Super Flex Hose, Hose Clamps, and Cone Easy to Attach

Specifications

Small Blower Housings (6" Hose):

- ▶ Pro 3B*
- ▶ Pro 12^{DFS}*
- ▶ Pro 22^{DFS} with PTO Drive
- ▶ Convertible X20 & X30
- ▶ ES36 Estate Series

Large Blower Housing (6" or 8" Hose):

- ▶ Pro 22^{DFS} with Engine Drives
- ▶ Pro 24^{DFS}
- ▶ ES50 Estate Series

**Note: PECO's PTO drives utilize the mower's operator presence safety systems. Using a wand kit with a PTO drive will require two people to operate successfully. One in the mower's seat and one using the wand.*



PARTS

PECO baggers are designed to last, with many customers getting a decade or more of use from their units. To support the continued use of our product, PECO maintains an extensive inventory of replacement parts. Our experienced staff can assist you with parts look-up.



Upgrade Kit: Converts 2-Blade System to 3-Blade A1843



Small Blower Housing PTO Systems E4004A



Blower Housing Small E4052A Large E5007A



Fabric Collection Bags with Hard Plastic Bottom



Hose Clamps 6" - 9"



6" F0060 7" F0070 8" F0080 9" F0090



Blower Cones 6" - 9"



Small Universal Boot Kit A0121 Large Universal Boot Kit A0137



2-Blade Impeller



3-Blade Impeller A1839



4-Blade Impeller A0645



5-Blade Impeller A0644



Tapered Bushing Kits



Briggs & Stratton 6.5hp Vanguard Gas Engine with Blower & Blade A639



Briggs & Stratton 14hp Vanguard Electric Start Gas Engine with Blower & Blade A640



Universal Weight Kits

BRUSH BLAZER[®]



Designed to be the most capable walk-behind brush cutter on the market. Brush Blazer by PECO is the tool you shouldn't be without. Get the Job Done – easily cuts through brush and saplings up to 6" in diameter!

Features


- ▶ Gas Engine with Electric Start
- ▶ Heavy-Duty Canister Air Cleaner
- ▶ 5 Gallon Fuel Capacity
- ▶ Digital Hour & Battery Meter
- ▶ Independent Pumps & Wheel Motors
- ▶ Hydro-Gear 10cc Pumps
- ▶ Zero-Turn-Radius Type Steering
- ▶ 48" Cutting Width & 4" Cutting Height
- ▶ Manual Clutch Type Deck Engagement
- ▶ Easily Cuts Grass, Weeds, Brush, and Up to 6" Caliper Trees
- ▶ 7" Diameter Aluminum Spindle Housing
- ▶ 1 $\frac{3}{8}$ " Heavy-Duty Spindle Shaft
- ▶ Infinitely Variable Ground Speed up to 5mph
- ▶ High-Speed Steel Flail Blades
- ▶ Cast Iron Pulleys
- ▶ Reinforced 7-Gauge Steel Deck & Chassis
- ▶ 1,250lbs Total Weight with Track Ground Pressure of 3psi
- ▶ Height: 45" – Width: 58 $\frac{1}{4}$ " – Length: 91 $\frac{1}{2}$ "
- ▶ 1 Year Limited Warranty

Drive Option


- ▶ Briggs & Stratton 37hp Vanguard EFI Gas Engine



Before



During



After





AMERICA'S LAWN VAC LEADER

10 Walden Drive, Arden, North Carolina 28704
(800) 438-5823 | www.LawnVac.com | Sales@LawnVac.com

